# SAFETY DATA SHEET



Version 3

# **1. IDENTIFICATION**

Product identifier **Product Name** 

Assure Interior Latex Flat Enamel Tintable White Base

Other means of identification **Product Code** SKU(s)

DF-1655 None

Recommended use of the chemical and restrictions on use Recommended Use No information available. Uses advised against No information available

Details of the supplier of the safety data sheet **Manufacturer Address Diamond Vogel** 1020 Albany Place SE Orange City, IA 51041 Phone: (712) 737-4993 Fax: (712) 737-4997 Emergency telephone number **Emergency Telephone** Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

Classification

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity	Category 1A	
	Emergency Overview	
Danger		
Hazard statements May cause cancer		
Appearance No information available	Physical state Liquid	Odor No information available
Precautionary Statements - Prevention		

# Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

## **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

#### Precautionary Statements - Storage Store locked up

**Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Other Information • Very toxic to aquatic life Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No	Weight-%	Trade Secret
Calcium carbonate	1317-65-3	10 - 30	*
Titanium dioxide	13463-67-7	5 - 10	*
Kaolin	1332-58-7	3 - 7	*
Crystalline Silica	14808-60-7	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.			
Skin Contact	Wash skin with soap and water.			
Inhalation	Remove to fresh air.			
Ingestion	Clean mouth with water and drink afterwards plenty of water.			
Most important symptoms and effects, both acute and delayed				
Symptoms	No information available.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically.			

# 5. FIRE-FIGHTING MEASURES

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full

protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures				
Personal precautions	Ensure adequate ventilation, especially in confined areas.			
Environmental precautions				
Environmental precautions	See Section 12 for additional Ecological Information.			
Methods and material for containm	ent and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.				
7. HANDLING AND STORAGE				
Precautions for safe handling				
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.			
Conditions for safe storage, including any incompatibilities				
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.			
Incompatible materials	None known based on information supplied.			
8. EXPOSURE CONTROLS/PERSONAL PROTECTION				

## Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium carbonate 1317-65-3	-	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
Kaolin 1332-58-7	TWA: 2 mg/m <sup>3</sup> particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Crystalline Silica 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> respirable particulate matter	<ul> <li>TWA: 50 μg/m<sup>3</sup> TWA: 50 μg/m<sup>3</sup> excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays (vacated) TWA: 0.1 mg/m<sup>3</sup> respirable dust</li> <li>(250)/(%SiO2 + 5) mppcf TWA respirable fraction</li> <li>(10)/(%SiO2 + 2) mg/m<sup>3</sup> TWA respirable fraction</li> </ul>	IDLH: 50 mg/m <sup>3</sup> respirable dust TWA: 0.05 mg/m <sup>3</sup> respirable dust

NIOSH IDLH Immediately Dangerous to Life or Health

.

Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).
Appropriate engineering controls	
Engineering Controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, such	ch as personal protective equipment
Eye/face protection	No special technical protective measures are necessary.
Skin and body protection	No special technical protective measures are necessary.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Color	Liquid No information available No information available	Odor Odor threshold	No information available No information available
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties	Values $9.0\pm0.2$ No information available>= 100 °C / 212 °F> 94 °C / > 201 °FNo information availableNo information available	Remarks • Method	
Oxidizing properties	No information available		
Other Information Softening point	No information available		
Molecular weight Liquid Density Bulk density Percent solids by weight Percent volatile by weight	No information available 11.11 lbs/gal No information available 49.0% 1.1%		

Percent solids by volume	34.6%
Actual VOC (Ibs/gal)	0.1
Actual VOC (grams/liter)	14.2
EPA VOC (Ibs/gal)	0.3
EPA VOC (Ibs/gal)	0.3
EPA VOC (grams/liter)	39.7
EPA VOC (Ib/gal solids)	0.3

# **10. STABILITY AND REACTIVITY**

## **Reactivity**

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

## Possibility of hazardous reactions

None under normal processing.

#### Conditions to avoid

Extremes of temperature and direct sunlight.

#### Incompatible materials

None known based on information supplied.

## Hazardous decomposition products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium carbonate	= 6450 mg/kg (Rat)	-	-
1317-65-3			
Titanium dioxide	> 10000 mg/kg (Rat)	-	-
13463-67-7			
Kaolin	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
1332-58-7			
Crystalline Silica	> 22,500 mg/kg (Rat)	-	-
14808-60-7			

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information	No information available.			
Germ cell mutagenicity	No information	No information available.			
Carcinogenicity	No information	No information available.			
Chemical name	ACGIH	ACGIH IARC NTP OSHA			

Titanium dioxide 13463-67-7	-	Group 2B	-	X
Crystalline Silica 14808-60-7	A2	Group 1	Known	X
A2 - Suspected Human C IARC (International Age Group 1 - Carcinogenic to Group 2B - Possibly Carc NTP (National Toxicolo Known - Known Carcinos OSHA (Occupational Sa X - Present	ency for Research on Cance o Humans cinogenic to Humans gy Program) gen afety and Health Administra	r) tion of the US Department	t of Labor)	
Reproductive toxicity STOT - single exposure STOT - repeated exposu Target organ effects Aspiration hazard		n available. n available. Respiratory system, Ski	n.	

#### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Very toxic to aquatic life

35.6% of the mixture consists of components(s) of unknown hazards to the aquatic environment

#### Persistence and degradability No information available.

# **Bioaccumulation**

No information available.

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

# 14. TRANSPORT INFORMATION

DOT

Not regulated

15. REGULATORY INFORMATION				
International Inventories				
TSCA	Complies			
DSL/NDSL	Complies *			
EINECS/ELINCS	Does not comply *			
ENCS	Does not comply *			
IECSC	Complies *			
KECL	Complies *			
PICCS	Complies *			
AICS	Complies *			

\* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

#### Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

 AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

No
No
No
No
No

# US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen
Ethylene Glycol - 107-21-1	Developmental
Crystalline Silica - 14808-60-7	Carcinogen
Carbon Black - 1333-86-4	Carcinogen

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts
Calcium carbonate	Х	Х
1317-65-3		
Titanium dioxide	Х	Х
13463-67-7		
Kaolin	Х	Х
1332-58-7		
Crystalline Silica	Х	Х
14808-60-7		
Ethanolamine	Х	Х

141-43-5	
Chemical name	Pennsylvania
Calcium carbonate 1317-65-3	X
Titanium dioxide 13463-67-7	X
Kaolin 1332-58-7	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### Hazardous air pollutants (HAPS) content

This product contains no Hazardous Air Pollutants individually at 1% by weight, or greater.

26-Jul-2019

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 1	Flammability 1	Instability 0	Physical and chemical properties -
<u>HMIS</u> Chronic Hazard Star Le	Health hazards 1 * egend *= Chronic	Flammability 1 C Health Hazard	Physical hazards 0	Personal protection X

Revision Date Revision Note No information available Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet